Searching for Datasets on the AMR Register

The AMR Register allows researchers to search through available datasets using three search methods, a Keyword Search, browsing program details or dataset details.

You can combine these tools to find those studies most relevant to your research question.

This guide shows how to use all three methods to find datasets to request on the AMR Register:

- Filtered 'keyword' Search
- BROWSE programs
- View dataset details

How to search:

Users can search for datasets using the AMR register.

Go to https://amr.vivli.org and click on 'REQUEST DATASETS'

You do not need to be a registered user to search for datasets, although you will need an account to complete a data request. Once you enter the AMR Register, you should see the search window:

•					/hat are you looking for today?
	y Select Multiple v Select Multiple v	×	Data Contributor Select Multiple Resistance Grouping Select Multiple	* *	Antimicrobials Select Multiple Organisms Select Multiple Time of Sample Select Multiple

Figure 1 -Search Window (home)

FILTERED KEYWORD SEARCH:

Use this function to search listed datasets using the drop-down filters under each category, for example, Country, Antimicrobial and Organism. You can select one or more items from each list.

First, click on KEYWORD SEARCH; then select the filters required, as shown:

			hat are you looking for today?
Select Multiple Years Data Collected From: To: Select One Select One Sources of Samples Select Multiple Includes Genotype Information Includes Pediatrics Information	Country Select Multiple Region One Selected Europe X	Data Contributor Select Multiple Resistance Grouping Select Multiple	ntimicrobials Multiple Selected Dorpenent × Penicitiin × One Selected One Selected imme of Sample

Figure 2 – Filtered Keyword Search

After you have added all the desired terms to the filters, view the results of your search by either clicking on the magnifying glass icon, clicking the number of datasets at the bottom of the screen, or simply pressing enter:

Antimicrobials Data Contributor Country Years Data Collected From: To: Multiple Selected V Select Multiple Resistance Grouping Conselected Verse Select Multiple Select Multi		KEYWORD SEARCH	BROWSE	
Antmicrobials Data Contributor Country Years Data Collected Multiple Selected Select Multiple Select Multiple Select Multiple Organisms Select Multiple Region Select One One Selected One Selected Select Multiple Select Multiple One Selected Select Multiple Select Multiple Select Multiple Control Selected Select Multiple Select Multiple Select Multiple Time of Sample Select Multiple Select Multiple Select Multiple	at are you looking for today?			<u>()</u>
Dorpsecent X Petroclin X Organisms Resistance Grouping One Select Multiple Select Multiple One Select Multiple One Select Multiple Chrobacter anabonaticus X Europe X Time of Sample Select Multiple Select Multiple Europe X	timicrobials Data Contribute	tor Select Multiple ~	Country Select Multiple	Years Data Collected From: To:
Organisms Select Multiple One Selected ✓ One Selected Europe X Sources of Samples Cnrobustier amatomaticity X Europe X Select Multiple Time of Sample Europe X Europe X Select Multiple Image: Select Multiple Image: Select Multiple	Doripenem X Penicilin X Resistance Gro	rouping	Region	Select One 👻 Select One 👻
One Selected Critrobacter analonaticus × Select Multiple Time of Sample Includes Genotype Information Select Multiple Includes Genotype Information	rganisms	Select Multiple 🗸 🗸	One Selected	•
Cdrobacter anaionaticus × Select Multiple × Time of Sample Includes Genotype Information Select Multiple × Includes Genotype Information	One Selected V		Europe x	Sources of Samples
Time of Sample Control	Citrobacter amalonaticus ×			Select Multiple 🗸 🗸
Select Multiple V	me of Sample			Includes Genotype Information
	Select Multiple 🗸			Includes Pediatrics Information

Figure 3 – Viewing search results

REGISTER A Vivli	litative	Sign up Log In
What are you looking for today		CLOSE
Antimicrobials One Selected V Dorpenem X Organisms	SHARP 2020 Data Sponsor BioSciences Inc Years Data Collector 2020 - 2022 Date of Last Update: December 2021	Log in to Request Dataset View Dataset Details Number of isolates 500
Multiple Selected Citrobacter amalonaticus × Citrobacter braaki × Time of Sample Select Multiple V	SHARP 2019 Sponter Biosciences, Inc. Years Data Collected: 2017 - 2019 Date of Last Update: December 2016	Log in to Request Dataset Vew Dataset Details Number of isolates 100
Data Contributor Select Multiple V Resistance Grouping	MAPS 2020 Sponter BioSciences Inc Years Data Collected: 2020 - 2022 Date of Last Update: December 2021	Log in to Request Dataset View Dataset Details Number of isolates 500

Figure 4 – Search Results

BROWSE Program details:

To BROWSE all of the available programs, click on the BROWSE button to be taken to the program pages on the AMR Register website:

What are you looking for today?						1
Antimicrobials Select Multiple Ornanisme	~ Data	t Contributor Select Multiple	×	Country Select Multiple	~	Years Data Collected From: To: Select One V Select One V
Select Multiple Time of Sample Select Multiple	*	Select Multiple	*	Select Multiple	*	Sources of Samples Select Multiple includes Genotype Information includes Pediatrics Information

Figure 5 – How to browse all available programs

This will bring you to the research programs page on the website. Click on the '+' sign next to each program name to view the program details and decide whether they meet the needs of your research.



Figure 6 – Research Programs page

View Dataset details:

To view the details of all datasets, or your filtered selection, from the search screen either click on the magnifying glass icon, or click on the number of datasets at the bottom of the screen, or simply pressing enter.

This will take you to the search results screen. Click on 'View Dataset Details' for the program you are interested in to view more information about it.



Figure 7 – Search Results – View Dataset Details

The dataset details screen contains information about the dataset:

REGISTER A Vivil Initiative		📑 MY DATA REDUESTS 💽 RI
HARP 2020 Data		
ataset Details Dataset Documents Administrative Details Usage		
ata Collected From 2020 - 2022	Date of last Update Dec 2021	Number of Isolates 500
rimary Objective		
timary Objective lata generation for antibiotic resistance of the main community-acquired respiratory tract i	infection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmry Objective lata generation for antiblotic resistance of the main community acquired respiratory tract i	infection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmy Objective entropy objective antibiotic resistance of the main community acquired respiratory tract i	infection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmy Objective	infection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmy Objective ata generation for antibiotic resistance of the main community-acquired respiratory tract i https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tract/ https://www.international.com/objective/acquired/respiratory/tractive/acquired/respira	infection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmy Objective ata generation for antibiotic resistance of the main community-acquired respiratory tract i rotocol Summary IA	nfection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmy Objective ata generation for antibiotic resistance of the main community-acquired respiratory tract i rotocol Summary IA	nfection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
mmy Opechne ata generation for antibiotic resistance of the main community-acquired respiratory tract i https://www.internet.com/opechnet/second/se	nfection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	
Innary Objective ata generation for antibiotic resistance of the main community-acquired respiratory tract i relaced Summary IA defined Information	nfection pathogens such as Streptococcus pneumoniae and Haemophilus influenzae.	

Figure 8 – Dataset Information tabs

REGISTER A Website					
IARP 2020 Data					
taset Details Detailet Documents Administrative Details Usage					
ta Collectes Pron 19 - 2022		Date of last Update Dec 2021		Number of Isolates 500	
ery Copictine generation for antibuotic resistance of the main community-equired respiratory t	act innection pathogens such as Straptococcus pneumonae	ee and Haemophilus Influenzae.			
al information	loctor). Then microcentrations were locabled and identified at	fical interviews 1 aboratories stored the instates and at	Novel then to the third party a sector invariant for a side that for a first more	and performing articles calculation had 21 locates use from the	se community acculant mediantics final interfaces (from the authority and sufficient on WEDER
nal information and information consisted with a spectrum in based on their rowther practice you a informat from a consist by using the architecture class of an CLS is guidelines. The class	locior). Then microorganisms were isotable and identified at a maryore using c.t. B, EUCAST (dow-spectro) and pharm	t loai apontone. Laboratone doed the isolate and an apolicetophamic (MDP) presiponts.	ngged them to the third party's section interaction for re-identification of minoroogu	ans and performing antibiotic susceptibility last. All localities were from the	n comunity sequent majority fact interform (from the jutteria with «41 hours trapitation). MC4
a monante an executed at guardients based on their matter guardies year interact from read by using the britch manyatulates fault based on CLE guadetines. The addre	Noting Their missiongenium was localized and features as a uniqued using CL 8, CLCAST (cose-specific) and pharms	Hoad locations, Laboratorie store the locate and a acceleratorynamicsoyness (PKPC) (respects	space them to the true party is senter associatly for a sisterification of microargue	ene and performing antibiotic ecceptionity last. At locates were from the	a somunity segred regretary test relation, jour to plants at -stroom Septemberg, BCC
a minimum na na n	bodny. The monorganism was loaded and loadfed and a engined using CL 5, CLCL37 (new spectro) and pheno	t boal lobostone. Laboratories stored the avoide and a assisted operanecoprianic (PGPO) transporte.	ngaal ban to the best padys and a saloudary for to constitution of more again	ene and partnering anticolor exception in but, all handle way have but	n somunity wypret segurity that inhibites jiwn the julients effs of toos trapitaturity. Mor
in changes the second se	Inter) The moveganite we work of working of working an engine and of C. E. E.C.L.T (den-eynch) and preva- angles and C. E. E.C.L.T (den-eynch).	Tool Boothine Laboratore date to boothe pol accitato/semaco/sema (PGP) (respons.	spect time to the third party sector aboutly for in-sectification of nanosoge Countries Region	en ar petering etterte sangtelij bet at wate on tre te	s comunity argume registrary lead infedera; (from the patients eth -48 hours hopefattadino); BCC Borome of Barryane Borome of Barryane
Information as analysis of a strategies which are also been as a strategies of the strategies of the strategies which is a strategies which are the strategies of th	Intel: The monorganism we water of worked and territed at any part and \$2.1.1000 (f parts query parts) and \$2.1.1000 (f parts) and \$2.1.10000 (f parts) and \$2.1.1	Cost bootbork, Libootbork forward he worker and an and department (Parity Languages).	nged then to the liver perty series abooting for in-sectification of morrorge Contrast Rogen Documption	ans are partnering articular associately but, at bootte was from to	econsulty agained exploring that interfaces (than the patients with well boom togethication) MC access of Sergen. Secons of Secons of Seco
manager a support of the standard on their random patients (see a strengt time as any particular time and any of the standard on the spectrum as a strengt time strength on the standard on the spectrum as a strength of the strength of	Intern The sense generative we work of the state of a set of the s	tore electrone. Lanotone diver to suble no a successive provide the suble of the suble divergence of the subl	apped bins to the free party i write allowadary for a samethination of nanoroge Records Rec	ene en particular patiente completificity but, al souther was here the	n comunity anginet segretary text shadness, jitun the patients with -48 noun hopefaltabless, MC nouna of despine Nouna
	bole). The neurogeneous we knowled on the full of the full of a sector of the sector of the full of the sector of	than investment scherofiste dares for accident and accounted sprants (PUPO) surgiculture enditional accident	spect them to the their party names already for an intertification of nationage Region Regio	en er petering etterte songtette de Al notes en tre tr	a comunity expand registery bad which is (has be patients with -48 hours heightfaction) too booms of barrows. Booms of barrows Booms of barrows Register of barrows
notanala a material de la bar racita parte parte parte de la destructiva en parte la baranti mandado en la da de C.S. guidantes tras de en parte la baranti mandado en la da de la compositiva de en la constante en la consta	Inder) Then messagement we worked and territor at an experiment of the second sector of the s	tion involves. Lavorbre deal for solds or a scientification of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the sold of the	space have to be a lower party's written allowed by the in-structure of neuroscope experiments of the structure of the structure of the structure experiments of the structure of the structure of the structure experiments of the structure of the structure of the structure experiments of the structure of the stru	ene and partnering anticoles cannylately bell, al works was from the	a comunity wagend negrating hard whether, (from the patients with -of hours hospitalization, land former of houses Bored forwards Bored for
	Initial That assurance present was wanted and sector at an analysis and gift, EDCLIF (see -yearing and press and gift) and press and gift	due desprinte Laboratine dans la suble per a substatisticamentaliques (PCP) energiants energiants energiants	sport han to the best party senter aboutly for the electration of monospecting Regime Constraints Cons		n consump sequent regarding that induces, then the julteria with set to use the plantimeters, see Section of Sections Margine Section of Sections Margine Sections Margines
ar domas: ten energinaria dependente tenendo en tenerginaria de la cia a presentente tenerginaria energinaria de la cial de la cial energinaria de la cial de la cial energinaria de la cial de la	Inter) The energeness we have a device and worked with weight and the second seco	from portune, Laborative data the south of a	speci them to the their performance of the intervence of the second seco	ens and partitioning antibable accessibility had, all handles seen from the	a comunity segment requiritory fract relations, plans the pelants with -42 hours houghtstations, plans borns of barrans. Boost theory and the segment of the
ne minute me canada para para la sec o har robrir parta para para para para para para menor para para para para para para para pa	Inder). Then messagements we worked and territor at an explore and territor at an explore and territor at an explore and territor. The expension of the explored territor is the explored territor territor is the explored territor territor territor territor is the explored	tion iboolans. Laovatore does to subte or a accessing parameter (proce) (weapont) notices and a subter of the subter of the subter of the subter of the accessing subter of the subter o	Paper have is best store purify a vertice abouting for in a vertification of neuroscope Papers Paper	nee eet partiering patiente compliably but, al works was trea the patiente	a comunity wapend angentiary that infection, pitrus the pelants with -of hours hauphitudion; pitrus account of houses the set of houses th
or a financial menancial de la construcción de la construcción de la construcción de menancial de la construcción de la construcción de la construcción de menancial de la construcción de menancial de la construcción de la construcción de menancial de la construcción de la con	bologi. The neuroscipanes we know out of which a set of well with a set of the set of th		spect here to be here putyr write abording for in another data of abording Contrast Design of the sector of the	nee eet partiening articules cassificially had, all works was here by	a comunity register angenting that infedirus, plane the platest set - of noun to explation to or Record Variance Record Variance Rec

Figure 9 – Dataset Details window

If you have any questions about searching for datasets, please contact amr@vivli.org